





JOB NAME: _____ DATE: _____

DOOR LOCATION: _____ DOOR NO: _____ SHEET _____ OF _____



① VERTICAL SECTION (NOT TO SCALE)

SEE APPENDIX FOR DETAILS OF TX9300 HEAVY DUTY DRIVE SYSTEM AND THRESHOLD OPTIONS.
 SEE APPENDIX 2.2.F FOR SURFACE MOUNT CONCEALED VERTICAL ROD EXIT PANIC HARDWARE OPTION



SAMPLE PACKAGE WIDTH INFORMATION

| PKG. WIDTH | NOMINAL CLEAR DOOR OPENING | SLIDING DOOR / PANEL NOM. WIDTH | EMERGENCY BREAKOUT NOM. WIDTH |
|--------------|----------------------------|---------------------------------|-------------------------------|
| 7'-0" (2134) | 36" (914) | 41 7/16" (1052) | 75" (1905) |
| 8'-0" (2438) | 42" (1067) | 47 7/16" (1205) | 87" (2210) |
| 9'-0" (2743) | 48" (1219) | 53 7/16" (1357) | 99" (2515) |

- NOTES:
- ELEVATION & PLAN DETAILS TO SCALE.
 - ELECTRICAL REQUIREMENTS: 120VAC, 5AMPS MIN. TO OPERATOR BY ELECTRICAL CONTRACTOR.
 - DOOR PACKAGES ARE INDIVIDUALLY ENGINEERED TO FIT YOUR JOB REQUIREMENTS.